Indoor Tanning and Problem Behavior

Zhanna Bagdasarov, PhD candidate; Smita Banerjee, PhD; Kathryn Greene, PhD; Shelly Campo, PhD

Abstract. Objective: The authors examined factors predicting college students' use of tanning beds. **Participants** and **Methods**: Undergraduate students (N = 745) at a large Northeastern university participated in the study by answering a survey measuring tanning behavior and other psychosocial variables, including sensation seeking, self-esteem, tanning image beliefs, and friends' tanning bed use. **Results**: All 3 systems from problem behavior theory predicted past tanning bed use and intention to use tanning beds. The authors observed a positive association between sensation seeking and intention to use tanning beds. Conclusions: Interventions focusing on friend and acquaintance social network influences may be more effective than health-risk campaigns in reducing tanning bed use.

Keywords: college students, problem behavior theory, risk behavior, self-esteem, sensation seeking, skin cancer, tanning

kin cancer is the most common type of cancer in the United States, and the rates of skin cancers are rising.^{1,2} This alarming data prompted the Centers for Disease Control and Prevention and the National Institutes of Health to include in their *Healthy People 2010* project goals reducing the number of skin cancer deaths and increasing the number of people who follow protective measures such as avoiding ultraviolet (UV) light and sun exposure.³

Despite teenagers' knowledge about harmful effects of UV radiation on skin, they continue to tan.⁴ The popularity of tanning bed use among US adolescents could be attributed to several factors, such as emphasis on physical appearance,⁵ a belief that looking tan enhances one's attractiveness, media images of tanned celebrities,^{6,7} and aggressive ad campaigns by the tanning industry.⁷ In the present

Copyright © 2008 Heldref Publications

study, we used problem behavior theory to examine the possible relationships between tanning behavior and other psychosocial variables.^{8,9}

Problem Behavior Theory

Problem behavior theory is derived from a social– psychological framework and proposes that engagement in risk behavior could be attributed to the interactions between variables from 3 major systems: personality, environment, and behavior.^{8,9}

All 3 systems are interrelated and tend to cluster in the same individual. Although not previously applied to tanning bed use, problem behavior theory predicts a variety of risk behaviors, including drinking and drug use,¹⁰ exposure to violent television,¹¹ and high-risk sexual behavior.¹²

Personality System

The personality system of problem behavior theory is concerned with cognitive variables that are reflective of social meaning and developmental experience.^{8,13} Individuals' beliefs, values, and attitudes are a part of this system. We focused on 3 personality variables: self-esteem, sensation seeking, and tanning image beliefs. We included selfesteem and sensation seeking because they have been examined extensively in relation to risk behaviors and appear to be linked to other risk behaviors.¹⁴

Self-Esteem. Jessor¹³ asserts that a person with lower self-esteem has little to lose; thus, people with lower self-esteem are more likely to engage in risk behaviors. Because tanned people may be perceived as more attractive,^{5,6} it stands to reason that adolescents with lower self-esteem will be more likely to use tanning beds to improve their self-image and that higher level of self-esteem will work as a protective mechanism to avoid risky tanning behavior. Thus, we propose the following hypothesis:

H1. The higher the adolescents' self-esteem, the less likely they will be to use and intend to use tanning beds.

Ms Bagdasarov and Dr Greene are with the Department of Communication at Rutgers University, New Brunswick, NJ. Dr Banerjee is with the Communication Studies Department at Montclair State University, Upper Montclair, NJ. Dr Campo is with the Department of Community and Behavioral Health at the University of Iowa, Iowa City.

Bagdasarov et al

Sensation Seeking. Sensation seeking is a personality trait that taps the tendency to seek varied, novel, and intense sensations and experiences.¹⁵ Several researchers have examined the relationship between sensation seeking traits and motivation to engage in risk behaviors.¹⁴ Tanning behavior correlates significantly with higher levels of sensation seeking, particularly thrill seeking.¹⁶ Thus, we suggest that higher sensation seekers will be more likely to engage in tanning behavior.

H2. Adolescents who score higher on sensation seeking will be more likely to use and intend to use tanning beds; this relationship will be stronger for women.

Tanning Image Beliefs. Beliefs regarding tanning bed use may explain the psychological effects associated with a tanned look, such as wanting to look healthier, feel more confident, and appear attractive.¹⁷ Beliefs and attitudes associated with tanning are the best predictors of tanning intentions.^{7,17} In addition, beliefs concerning image and appearance are stronger than beliefs concerning healthrelated motivations.⁷

H3. Adolescents with greater beliefs that tanned images are attractive will be more likely to use and have greater intentions to use tanning beds.

Perceived Environmental System

The perceived environmental system of problem behavior theory includes variables associated with peer approval and norms, as well as level of parental control and level of exposure to peers' modeled behavior.⁸ Variables that belong to this system are associated with support, influence, controls, models, and others' expectations. Researchers^{18,19} have most often addressed peer engagement in problem behavior (eg, friends' smoking or spending time with a group that drinks) as a predictor of different problem behaviors. This suggests that engagement in any risky behavior, including tanning, could be a result of adolescents' perceived support from others and leads to the following hypothesis:

H4. Friends' and acquaintances' use of tanning beds will be positively associated with adolescents' use of and intention to use tanning beds.

Behavior System

The behavior system of problem behavior theory includes variables that require specific actions (eg, smoking, drug use, violence, theft). By building on the behavior system, tanning behavior could be conceptualized as a risk behavior. Armes¹⁶ observed a positive correlation between tanning bed use and other risk behaviors, such as smoking, drinking, and unsafe sex. Adolescents who report the use of 2 or 3 substances are more likely to use indoor tanning.²⁰ In addition, problem behavior theory suggests that people who are engaged in risk behaviors in general are less likely

to engage in preventive behavior. In the context of tanning behavior, we hypothesized:

H5. Engagement in lifestyle risk behaviors—such as smoking, drinking, and sun risk behavior (eg, going to the beach, laying out)—will be positively associated with the use of, and intention to use, tanning beds.

Co-occurrence Between Different Problem Behaviors

Other variables may moderate or mediate the cooccurrence between adolescent problem behaviors. For example, Yanovitzky¹⁹ demonstrated that sensation seeking, risk factors (eg, unsupervised time with peers, frequency of school absences), and lack of certain protective factors (eg, religiosity, positive family relationship, school performance) contributed to an association with deviant peers, which led to pro-drug discussions and a greater intention to use drugs. Therefore, we proposed:

H6. There are significant associations between personality factors (self-esteem, sensation seeking, and tanning image beliefs) and lifestyle risk behaviors (smoking, drinking, sun risk behavior, use of tanning beds, and intention to use tanning beds).

Because we used an integrated approach addressing all 3 systems in problem behavior theory together, we asked:

RQ. How well do the 3 systems of problem behavior theory predict tanning bed use and future intention to use tanning beds?

METHODS

Participants and Procedure

This study was a part of a larger project on tanning attitudes, intentions, and behaviors approved by a university internal review board. We recruited participants from undergraduate communication courses at a large Northeastern US university. The initial sample included 898 students; however, we excluded students older than 25 years and naturally darkskinned students, the latter of which are are less likely to tan and are generally at lower risk of skin cancer.²¹ We used selfreported skin color rather than race or ethnicity to capture more variation in the relevant construct and eliminated the 130 participants with the darkest reported skin color. This resulted in 745 participants retained for analysis. Students' ages ranged from 19 to 25 years (M = 21.04 years, SD =1.16), and 65% were women. The majority (64%) of participants were Caucasian, with 16% Asian/Pacific Islander, 6% Hispanic/Latino, 4% bi- or multiracial, 3% African American, and less than 2% other. Students participated in this study in early December 2005 outside of class time and received extra credit for their participation. After providing written consent, participants entered a room to fill out an anonymous survey (approximately 20 minutes). We debriefed participants after they completed the questionnaire.

Measures

The questionnaire measured variables from the personality system, perceived environmental system, behavior system, tanning bed intention, and past tanning bed use.

Self-Esteem

We measured self-esteem by 5 Likert-type items from Hudson's²² scale, with 5-point responses ranging from 1 (*never*) to 5 (*always*). The reliability was good ($\alpha = .87$), and factor analysis indicated a single-factor structure (eigenvalue = 3.27, 65.31% variance), with all loadings higher than .75. We summed and averaged responses, with a higher score indicating a higher level of self-esteem (M = 3.97, SD = 0.55).

Sensation Seeking

On the basis of Form V of Zuckerman's¹⁵ sensation-seeking scale, Hoyle et al²³ created the 8-item sensation seeking scale. It is a Likert-type scale with 5-point responses ranging from 1 (*strongly disagree*) to 5 (*strongly agree*). Reliability for this scale was good ($\alpha = .78$), and factor analysis indicated a single-factor structure (eigenvalue = 3.24, 40.44% variance), with loadings greater than .60. We deleted 1 item from the scale ("I get restless when I spend too much time at home") to maintain the single-factor structure. We summed and averaged the scores on the scale, with higher scores indicating more sensation-seeking traits (M = 3.49, SD = 0.71).

Tanning Image Beliefs

We created the measure of tanning image beliefs, which consisted of 6 Likert-type items, with 5-point responses ranging from 1 (*strongly disagree*) to 5 (*strongly agree*). Reliability for this scale was good ($\alpha = .79$), and factor analysis indicated a single-factor structure (eigenvalue = 2.99, 49.76% variance), with all loadings greater than .50. We summed and averaged the scores on the scale, with higher scores indicating more beliefs supporting tanning (M = 3.36, SD = 0.71).

Friend Tanning Bed Use

We measured friend tanning bed use by a single item: self-reported number of friends using tanning beds (M = 4.65, SD = 7.76, range = 0–90).

Acquaintance Tanning Bed Use

We measured acquaintance tanning bed use by 1 item: self-reported number of acquaintances using tanning beds regularly (M = 7.97, SD = 12.22, range = 0–100).

Sun Risk Behavior

For this study, we developed a measure of sun risk behavior that comprised 2 Likert-type items assessing past-summer sun exposure, with responses ranging from 1 (*never*) to 5 (*always*). Reliability was good ($\alpha = .78$), and factor analysis indicated a single-factor structure (eigenvalue = 1.64, 81.99% variance), with both loadings greater than .90. We summed and averaged the scores on the scale, with higher scores indicating greater sun risk behavior (M = 2.96, SD = 0.96).

Smoking

We measured smoking by 2 items (eg, "How many days in the past month did you use tobacco products?") that we converted to z scores. The 2 items had good reliability (α = .84) and loaded higher than .90 on 1 factor (eigenvalue = 1.72, 86.08% variance). We summed and averaged the 2 items, with a higher score indicating heavier smoking.²⁴

Alcohol Consumption

We measured alcohol consumption by 3 items (eg, "Within the past 2 weeks, how many times have you had 5 or more drinks in a sitting?") that we converted to z scores. The 3 items had excellent reliability ($\alpha = .90$) and loaded higher than .90 on 1 factor (eigenvalue = 2.50, 83.37% variance). We summed and averaged the 3 items, with a higher score indicating heavier drinking.²⁵

Tanning Bed Intention

We measured tanning bed intention by 1 item, with responses on a 5-point Likert-type scale ranging from 1 (*strongly disagree*) to 5 (*strongly agree*). A higher score indicated a greater intention to use a tanning bed next semester (M = 2.27, SD = 1.40).

Past Tanning Bed Use

We measured past tanning bed use by 1 free-response item asking "How many times have you used a tanning bed in the past year?" (M = 4.28, SD = 10.22, range = 0–100).

RESULTS

We performed correlations to examine H1–H5, setting the level of significance at $p \le .01$ to protect against Type I error. (Table 1 presents a zero order correlation matrix for all variables.) To examine H6, we performed a canonical correlation, with the level of significance set at $p \le .05$. Last, we examined RQ using hierarchical multiple regression ($p \le .05$).

H1 examined the association between adolescents' selfesteem and likelihood of using tanning beds (see Table 1). The correlations between self-esteem and past tanning (r = .04), and between self-esteem and intention to use tanning beds (r = .01) were not significant. H1 was not supported, and we observed no association between selfesteem and tanning bed use.

H2 examined the association between adolescents' sensation seeking and likelihood of using tanning beds (see Table 1). The correlation between sensation seeking and intention to use tanning beds was positive (r = .13, $p \le .001$). Thus, higher levels of sensation seeking were related to higher intentions of tanning bed use. The correlation between sensation seeking and past tanning bed use (r = .08) was not significant. For men, the correlation between sensation seeking and intention to use tanning beds was positive (r = .19, $p \le .01$). The correlation between sensation seeking and past tanning bed use (r = .09) was not significant. For women, the correlation between sensation seeking and intention to use tanning beds was positive (r = .20, $p \le .001$). The correlation between sensation seeking and intention to use tanning beds was positive (r = .20, $p \le .001$). The correlation between sensation seeking and intention to use tanning beds was positive (r = .20, $p \le .001$). The correlation between sensation seeking and intention to use tanning beds was positive (r = .20, $p \le .001$). The correlation between sensation seeking and intention to use tanning beds was positive (r = .00, $p \le .001$). The correlation between sensation seeking and past

Variable	1	2	3	4	5	6	7	8	9	10	11	12
1. Self-esteem	_											
2. Sensation seeking	.01											
3. Tanning image beliefs	04	.15**										
4. Acquaintance tanning	.11*	.14**	.27**									
5. Friend tanning	.08	.11*	.24**	.63**								
6. Sun risk	06	12**	41**	23**	23**							
7. Smoking	.04	.20**	.06	.06	.07	06						
8. Alcohol	.03	.38**	.20**	.25**	.26**	18**	.23**					
9. Intention to tan	.01	.13**	.49**	.36**	.33**	38**	$.11^{*}$	$.18^{**}$				
10. Past tanning	.04	.08	.37**	.32**	.28**	26**	.04	$.14^{**}$.61**			
11. Age	.13**	01	.02	07	04	.02	.16**	$.11^{*}$	03	03		
12. Sex	04	21**	$.12^{*}$.01	.02	14**	07	37**	.25**	.23**	07	

tanning bed use was also positive (r = .16, $p \le .001$). Thus, H2 was partially supported, with results showing a positive association between sensation seeking and intention to use tanning beds but not past tanning bed use. This association was slightly stronger for women than for men.

H3 examined the association between use of tanning beds and tanning image beliefs. We found strong correlations between tanning image beliefs and tanning bed use intention (r = .49, $p \le .001$) and between tanning image beliefs and past tanning bed use (r = .37, $p \le .001$). Thus, the data supported H3.

H4 examined the association between use of tanning beds and acquaintance and friend tanning bed use. We observed a positive correlation between acquaintance tanning bed use with tanning bed use intention (r = .36, $p \le .001$) and with past tanning bed use (r = .32, $p \le .001$). The correlations between friend tanning bed use and tanning bed use intention (r = .33, $p \le .001$) and past tanning bed use (r = .28, $p \le .001$) were also positive. Thus, our findings supported H4.

H5 examined the association between lifestyle risk behaviors and use of tanning bed. Intention to use tanning beds was inversely associated with sun risk behavior (r = -.38, $p \le .001$) and positively associated with smoking (r = .11, $p \le .01$) and drinking (r = .18, $p \le .001$). Thus, greater intention to use tanning beds is associated with more smoking and drinking and less sun risk behavior. Past tanning bed use was positively associated with drinking (r = .14, $p \le .001$) but inversely associated with sun risk behavior (r = -.26, $p \le .001$). Thus, greater past tanning bed use was associated with more drinking and less sun risk behavior. Overall, results show partial support for H5 such that intention to use tanning beds is positively associated with smoking and drinking, whereas past tanning bed use is positively associated with drinking only.

H6 examined the associations between personality factors and risk behaviors (see Table 2). The canonical correlation was significant (F[19, 1,938] = 27.24, p < .001). The

first canonical root yielded a canonical correlation of .57 (F[15, 1,938] = 27.24, p < .001), with an eigenvalue of .49, capturing 33% of the standardized variance in the lifestyle risk behaviors. The second canonical root yielded a canonical correlation of .34 (F[8, 1,406] = 11.61, p < .001), with an eigenvalue of .13, capturing 12% of the standardized variance in the lifestyle risk behaviors. The third canonical root was not significant. We report only correlations of .30 or greater.

For the first function, personality variables, sensation seeking (r = .45) and tanning image beliefs (r = .94) loaded highest on function 1. We labeled this latent factor *personality*. For the risk behaviors, drinking (r = .53), sun risk behavior (r = -.71), past tanning bed use (r = .63), and intention to use tanning beds (r = .83) loaded highest on function 1 (but not smoking). We labeled this latent factor *risk behavior*.

For the second function, personality variables, sensation seeking (r = -.89), and tanning image beliefs (r = .32)loaded highest on function 1 (but not self-esteem). We labeled this latent factor *personality*. For the risk behaviors, smoking (r = -.50) and drinking (r = -.79) loaded highest on the second function (but not sun risk behavior, past tanning bed use, and intention to use tanning beds). We labeled this latent factor *risk behavior*. Thus, overall results partially supported H6. We observed significant associations between personality factors and lifestyle risk behaviors.

RQ addressed the contribution of the 3 systems in predicting tanning behavior. We performed 2 block multiple regressions to explore this question. We entered controls (age and sex) on the first step. We entered personality variables on the second step and perceived environmental and behavior variables on the third and final step. We ran this regression twice, first predicting past tanning bed use, then intention to use tanning beds (see Table 3).

For past tanning bed use, the first step was significant $(F[2, 705] = 18.42, p \le .001, \text{Adj. } R^2 = .05)$. The change

	First canor	nical root	Second canonical root			
Variable	Standardized	Structure	Standardized	Structure		
Personality variable						
Self-esteem	.12	.09	04	06		
Sensation seeking	.32	.45	96	89		
Tanning image beliefs	.90	.94	.46	.32		
Risk behavior						
Smoking	.03	.20	36	50		
Drinking	.32	.53	83	79		
Sun risk behavior	41	71	23	20		
Use of tanning bed	.16	.63	.14	.26		
Intention to use tanning bed	.52	.83	.30	.29		

TABLE 2. Standardized and Structure Coefficients for Canonical Results for Functions 1 and 2

TABLE 3. Results of Multiple Regressions Predicting Past Tanning Bed Use and Intent to Use Tanning Beds

	Past	tanning b $(n = 708)$		Intention to use tanning bec (n = 707)			
Variable	В	SE B	β	В	SE B	β	
Self-esteem	0.54	0.62	.03	-0.01	0.08	01	
Sensation seeking	0.33	0.53	.02	0.08	0.07	.04	
Tanning image beliefs	3.43	0.54	.24**	0.61	0.07	.31**	
Acquaintance tanning bed use	0.13	0.04	.15**	0.02	0.01	.16**	
Friends' tanning bed use	0.08	0.06	.06	0.01	0.01	.08**	
Smoking	0.05	0.39	.01	0.09	0.05	.06	
Drinking	1.16	0.47	$.10^{*}$	0.15	0.06	$.10^{*}$	
Sun risk behavior	-0.59	0.40	06	-0.20	0.05	14**	
Sex	4.95	0.80	.23**	0.71	0.10	.25**	
Age	-0.17	0.30	02	-0.02	0.04	02	

Note. For past tanning bed use, $R^2 = .22$; for intention to use tanning bed, $R^2 = .36$. *p < .01. **p < .001.

for the second step was significant (*F*[3, 702] = 35.50, $p \le .001$, $\Delta R^2 = .13$). The change for the third and final step was also significant (*F*[5, 697] = 10.30, $p \le .001$, $\Delta R^2 = .06$). The final model predicting past tanning bed use contained 4 significant variables: sex ($\beta = .23$, $p \le .001$), tanning image beliefs ($\beta = .24$, $p \le .001$), acquaintance tanning bed use ($\beta = .15$, $p \le .001$), and drinking ($\beta = .10$, $p \le .05$) and accounted for 22% of variance.

For intention to use tanning beds, the first step was significant (F[2, 704] = 23.86, $p \le .001$, Adj. $R^2 = .06$). The change for the second step was significant (F[3, 701] = 72.41, $p \le .001$, $\Delta R^2 = .22$). The change for the third step was also significant (F[5, 696] = 19.48, $p \le .001$, $\Delta R^2 = .09$). The final model accounted for 36% of variance and contained 6 significant variables: sex ($\beta = .25$, $p \le .001$), tanning image beliefs ($\beta = .31$, $p \le .001$), acquaintance tanning bed use ($\beta = .16$, $p \le .001$), friend tanning bed use

 $(\beta = .08, p \le .05)$, drinking $(\beta = .10, p \le .01)$, and sun risk behavior $(\beta = -.14, p \le .001)$.

COMMENT

The overall results demonstrate that all 3 systems predicted past tanning bed use and intention to use tanning beds. Variables from the personality system were the best predictors of tanning behavior. In particular, tanning image beliefs were the best predictor for past tanning bed use and intention to use tanning beds. Researchers^{7,17} have shown that positive attitudes and beliefs related to tanning predict tanning bed use. Hillhouse et al⁷ found that beliefs related to appearance are stronger predictors of tanning bed use than are beliefs related to health. Thus, future interventions to reduce tanning bed use among women may be aimed toward changing appearance-related motivations similar to some smoking campaigns targeting the aging effects of smoke.

Bagdasarov et al

A number of factors may explain why sensation seeking did not predict tanning behavior. We found a positive association between intention to tan and sensation seeking, but sensation seeking was not a predictor of intention to tan or tanning bed use when we included the other systems. Some adolescents may not understand or believe in risks associated with tanning bed use and thus may not perceive tanning bed use as something that will satisfy their needs for sensation. However, the association between intention to tan and sensation seeking could be driven by other motives, such as fascination with images of tanned celebrities or the desire to appear more exotic, that are beyond the scope of this study.

Acquaintance tanning bed use was a strong predictor of both past tanning bed use and intention to use tanning beds. Friend tanning bed use was a strong predictor of intention to use tanning beds. These findings suggest that perception of known others' use is a strong predictor for past use and intention to use tanning beds, which are consistent with prior studies.^{5,26} Participants in a study by Murray and Turner⁵ reported using tanning beds to enhance physical appearance, despite knowledge of the associated risks. Branstrom et al²⁶ concluded that some tanning behavior is normative and that perception of other people's tanning behavior may be a strong predictor of self-tanning behavior and vacation to sunny resorts (for the purpose of tanning).

The second-best predictor of past use and intention to use tanning beds was acquaintance tanning bed use. These findings are consistent with studies demonstrating links between adolescents' behavior and the behavior of their friends and acquaintances.²⁷ With research suggesting that tanning behavior may be influenced by social norms, health practitioners should examine normative messages and interventions to reduce tanning bed use.

Variables in behavior systems also play an important role in adolescents' tanning behavior, with a clear link between engagement in some risk behaviors but not others. Smoking and drinking were correlated with both use of and intention to use tanning beds. This may be explained by the fact that many adolescents associate smoking with a cool image.²⁸ Likewise, adolescents perceive alcohol consumption as an adult activity, symbolizing looking grown up.²⁹ In the same way, because appearance motivation heavily influences tanning behavior,⁷ young people may tan, smoke, and drink to appear more sexually attractive.

In general, our findings demonstrate that each system of problem behavior theory is only one factor that may influence adolescents' decisions about tanning. Our findings support the study's theoretical framework, which we based on the premise that engagement in risk behavior is predicted by a combination of variables from all 3 systems.

Limitations

A primary caveat of this study is the use of self-reports. Future researchers may want to directly observe participants' behavior or consider their friends' and families' reports. In addition, investigators could benefit from using qualitative methods (such as in-depth interviews and focus groups) that may provide a more complete picture of relations between tanning behavior and personality, environmental, and behavior systems.

Another limitation is the generalizability to different populations and risk behaviors other than those we studied. Because we included only college students from a single campus, participants were a fairly homogeneous group in terms of age and educational level. However, college students commonly use tanning beds6 and are thus an important audience for health interventions. Furthermore, we focused on a limited number of health-risk behaviors that are by no means exhaustive. To test the generalizability of our findings, investigators should replicate our study design among more diverse sample groups in different geographical regions. Researchers should conduct larger-scale studies on multiple campuses.

Implications

Theoretically, our findings demonstrate the importance of studying tanning behavior from a multidimensional perspective. From a practical perspective, our findings may contribute to the construction of future health-intervention campaigns designed to reduce tanning bed use. The results suggest that perhaps the best strategy to affect tanning bed use is to focus on variables relevant to the positive perception of tanning. To reduce adolescents' use of and intention to use tanning beds, appearance-related campaigns.²⁶ In addition, because of the possible effect of perceived approval by others (friends and acquaintances), interventions focusing on the normative influence of social networks may be effective in reducing tanning bed use.

NOTE

For comments and further information, address correspondence to Ms Zhanna Bagdasarov, Rutgers University, Dept of Communication, 4 Huntington St., New Brunswick, NJ 08901, USA (e-mail: zbagdasa@rci.rutgers.edu).

REFERENCES

1. Center for Disease Control and Prevention. Guidelines for school programs to prevent skin cancer. *MMWR Morb Mortal Wkly Rep.* 2002;51:1–24.

2. American Cancer Society. *Cancer Facts and Figures 2006*. Atlanta, GA: American Cancer Society 2006. http://www.cancer .org/docroot/STT/stt_0.asp. Accessed March 8, 2006.

3. US Department of Health and Human Services. With understanding and improving health and objectives for improving health. In: *Healthy People 2010.* 2nd ed. Washington, DC: US Government Printing Office; November 2000.

4. American Academy of Dermatology. American Academy of Dermatology urges teens to heed warning on dangers of tanning [press release]. Schaumburg, IL: AAD; May 3, 2004. http://www.aad.org/media/background/news/skincancer_2004_05_03_tan ning.html. Accessed February 6, 2008.

5. Murray C, Turner E. Health, risk, and sunbed use: a qualitative study. *Health Risk Soc.* 2004;6:67–80.

6. Greene K, Brinn LS. Messages influencing college women's tanning bed use: statistical versus narrative evidence format and

a self-assessment to increase perceived susceptibility. J Health Commun. 2003;8:443–461.

7. Hillhouse JJ, Turrisi R, Kastner M. Modeling tanning salon behavioral tendencies using appearance motivation, self-monitoring, and the theory of planned behavior. *Health Educ Res.* 2000;15:405–414.

8. Jessor R, Jessor S. Problem Behavior and Psychosocial Development. New York: Academic Press; 1977.

9. Jessor R, Jessor S. Adolescence to young adulthood: a 12-year prospective study of problem behavior and psychosocial development. In: Mednick SA, Harway M, Finello KM, eds. *Handbook of Longitudinal Research: Vol. 2. Teenage and Adult Cohorts.* Westport, CT: Greenwood Press;1984:34–161.

10. Lo C. Timing of drinking initiation: a trend study predicting drug use among high school seniors. *J Drug Issues*. 2000;30:525–554.

11. Krcmar M, Greene K. Connections between violent television exposure and adolescent risk taking. *Media Psychol.* 2000;2:195–217.

12. Doljanac R, Zimmerman M. Psychosocial factors and highrisk sexual behavior: race difference among urban adolescents. *J Behav Med.* 1998;21:451–467.

13. Jessor R. Problem-behavior theory, psycohosocial development, and adolescent problem drinking. *Br J Addict*. 1987;82:331–342.

14. Donohew R, Hoyle R, Clayton R, et al. Sensation seeking and drug use by adolescents and their friends: models for marijuana and alcohol. *J Stud Alcohol*. 1999;60:622–631.

15. Zuckerman M. *Behavioral Expressions and Biosocial Bases* of Sensation Seeking. New York: Cambridge University Press; 1994.

16. Armes C. Artificial Tanning-Salon Behaviors, Intentions, and Attitudes in Terms of Sensuousness and Sensation Seeking [master's thesis]. Johnson City, TN: East Tennessee State University; 2002. http://etd-submit.etsu.edu/etd/theses/available/etd-0808102-110621/unrestricted/ArmesC082302a.pdf. Accessed May 12, 2006.

17. Cokkinides V, Weinstock M, O'Connell M, et al. Use of

indoor tanning sunlamps by US youth, ages 11–18 years, and by their parent or guardian caregivers: prevalence and correlates. *Pediatrics*. 2002;109:1124–1130.

18. Wills TA, Resko J, Ainette M, et al. Smoking onset in adolescence: a person-centered analysis with time-varying predictors. *Health Psychol.* 2004;23:158–167.

19. Yanovitzky I. Sensation seeking and adolescent drug use: the mediating role of association with deviant peers and pro-drug discussions. *Health Commun.* 2005;17:67–89.

20. Demko C, Borawski E, Debanne S, et al. Use of indoor tanning facilities by white adolescents in the United States. *Arch Pediatr Adolesc Med.* 2003;157:854–860.

21. Skin Cancer Foundation. SPF and UV Explained. http:// www.skincancer.org/prevention. Accessed September 8, 2006.

22. Hudson WW. *The Clinical Measurement Package: A Field Manual*. Homewood, IL: The Dorsey Press; 1982.

23. Hoyle RH, Stephenson MT, Palmgreen P, et al. Reliability and validity of scores on a brief measure of sensation seeking. *Pers Individ Dif.* 2002;32:401–414.

24. Cameron K, Campo S. Stepping back from social norms campaigns: comparing normative influences to other predictors of health behaviors. *Health Commun.* 2006;20:277–288.

25. Campo S, Cameron KA, Brossard D, et al. Social norms and expectancy violation theories: assessing the effectiveness of health communication campaigns. *Commun Monogr.* 2003;71:448–470.

26. Branstrom R, Ullen H, Brandberg Y. Attitudes, subjective norms and perception of behavioral control as predictors of sun-related behaviour in Swedish adults. *Prev Med.* 2004;39:992–999.

27. Geller A, Colditz G, Oliveria S, et al. Use of sunscreen, sunburning rates, and tanning bed use among more than 10,000 US children and adolescents. *Pediatrics*. 2002;109:1009–1014.

28. Watson N, Clarkson J, Donovan R, et al. Filthy or fashionable: young people's perceptions of smoking in the media. *Health Educ Res.* 2003;18:554–567.

29. Kloep M, Hendry LB, Ingebrigtsen JE, et al. Young people in "drinking" societies? Norwegian, Scottish and Swedish adolescents" perceptions of alcohol use. *Health Educ Res.* 2001;16:279–291.

American College HEALTH

SUBMISSION PROCEDURES

SCOPE

The *Journal of American College Health* provides information related to health in institutions of higher education. The journal publishes articles encompassing many areas of this broad field, including clinical and preventive medicine, environmental and community health and safety, health promotion and education, management and administration, mental health, nursing, pharmacy, and sports medicine.

The *Journal of American College Health* is intended for college health professionals: administrators, health educators, nurses, nurse practitioners, physicians, physician assistants, professors, psychologists, student affairs personnel, and students as peer educators, consumers, and preprofessionals.

The journal publishes (1) scientific or research articles presenting significant new data, insights, or analyses; (2) state-of-theart reviews; (3) clinical and program notes that describe successful and innovative procedures; and (4) brief reports, viewpoints, book reviews, and letters to the editor.

GUIDELINES FOR CONTRIBUTORS

Types of Articles

Major Articles

Theoretical, scientific, and research manuscripts and reviews will be considered as major articles. The preferred length is 15 to 20 double-spaced pages (4,000–6,000 words), including tables, figures, and references.

Clinical & Program Notes

Clinical and program notes report on clinical experiences, new or especially interesting ideas and services, or collaboration in clinical studies. Program notes run 5 to 7 double-spaced pages (1,500–1,800 words), including a brief abstract, but do not usually include tables or figures; references must conform to the style used in major articles.

Viewpoint

Viewpoint is a forum for opinions. Topics may be ethical, organizational, social, professional, or economic. Debate on controversial subjects is welcome. Manuscripts vary from 4 to 10 pages (1,000–2,500 words), but we prefer concise presentations. Abstracts, tables, and figures are unnecessary. References should follow the same format as that used in major articles.

Letters to the Editor in response to published articles are also welcome. They should be brief (500–1,000 words) and they may be edited.

Preparing Your Manuscript

1. Submit your manuscript, including tables, as double-spaced Word files with minimal formatting in Times. Save it as a .doc, .rtf, or .ps file. Please use simple filenames and avoid special characters. Do not use word-processing styles, forced section or page breaks, or automatic footnotes or references. Number every five lines in the document.

2. Follow the *American Medical Association Manual of Style*, 10th edition, in medical and scientific usage.

3. Abstract must be no longer than 150 words, and include these subheadings: Objective, Participants, Methods, Results, and Conclusions.

4. Text in research articles must be divided into these headings: Methods, Results, and Comment (which can include the subheadings: Limitations, Conclusions, etc.).

5. Proofread carefully, double-checking all statistics, numbers, symbols, references, and tables. Authors are responsible for the accuracy of all material submitted.

6. Indicate approval of the appropriate institutional review board (IRB) for all studies involving human participants and describe how participants provided informed consent.

7. Provide written permission from publishers and authors to reprint or adapt previously published tables or figures.

Submitting Your Manuscript in Manuscript Central

When your files are ready, visit the online submission Web site http://mc.manuscript central.com/heldref/jach

1. First, log into the system. Register, if you have not done so before, by clicking on the Create Account button on the log-in screen and following the on-screen instructions.

2. To submit a new manuscript, go to Author Center, then click on Submit a Manuscript and follow the on-screen instructions.

3. Enter your manuscript data into the relevant fields.

4. When you upload your manuscript files via the File Upload screen, Manuscript Central will automatically create a PDF and HTML document of your main text and any figures and tables that you submit. This document will be used when your manuscript undergoes peer review.

5. Attach 1 blinded manuscript file for

review, with all identifying information removed, and 1 with this information.

Editorial Procedures

All submissions are blind reviewed by at least 1 consulting editor or ad hoc reviewer, a statistical reviewer (when appropriate), and an executive editor. The process may take up to 4 months. The managing editor will notify authors of the decision—accept, revise, or reject. Review comments will be returned to the author.

Heldref reserves the right to edit accepted manuscripts for clarity, coherence, and felicity of style. Authors receive an edited draft to proof, answer queries, and correct errors that may have been introduced in the editing process. Extensive changes and rewriting are not permitted at this stage.

Accepted manuscripts are usually published within 1 year of acceptance. Paper copies are available to authors at a reduced price (minimum order 50 copies).

References

Authors should cite references consecutively in the text, using a superscript to indicate source. References are listed by number at the end of the text, with titles of journals abbreviated in the form listed in *Index Medicus*. Titles of unlisted journals should be written out in full. The following are examples of reference style.

Journals

1. Engwal D, Hunter R, Steinberg M. Gambling and other risk behaviors on university campuses. *J Am Coll Health.* 2004;52: 245–255.

Books

2. Bernstein TM. *The Careful Writer: A Modern Guide to English Usage*. New York: Atheneum; 1965.

Other

Citations for data on a Web site should take this form: Health Care Financing Administration. 1996 statistics at a glance. http://www.hcfa.gov/stats/stathili.htm. Accessed December 2, 1996.

References to unpublished material should be noted parenthetically in the text (eg, James Jones, personal communication, September 2002).

Quoted material must include an indication of the page on which the quoted words appeared (eg, 7(p26)).

Please use current references and use hard-copy, rather than Web, references whenever possible.

Copyright of Journal of American College Health is the property of Heldref Publications and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.